

Zirconium Replacement-30AS

Packaging Available

Name Of Party : IQOSA IMPEX PVT. LTD

For Free Sample Contact: 82007 67077

Sample Name & Code : zirconium replacement - 30AS

Test Requirement : Physical & Chemical Analysis

Report No. : 16809/H231028-240

Date Of Received : 30-10-23

Call: +91 99099 72365,

Web: www.iqosaimpex.com **Mail:** Iqosaimpex@gmail.com

Address:

Office no-09, plot no 4,5,6 Akshar business centre, second floor at of Jambudiya Village, District - Morbi 363642, Gujarat, India



About

Zirconium Replacement 30AS

Zircon Replacement Is Produced By Activation Of Having A Very White Color, High Brightness And Very Low Iron Content Which Provides A Big Advantages For Colour Sensitive Ceramic And Tile Products.

Now A Days Very High Increasing Rate In Zirconium Powder, Replacement Have Comperitively More Efficiency In Pricing And Quality Of Whiteness And Shrinkage.

Technical Data Sheet

zirconium replacement - 30AS

No.	Сотроипа	Result %
01	SiO2	23.99
02	Al2O3	41.87
03	Fe2O3	0.39
04	TiO2	0.17
05	CaO	0.38
06	MgO	0.30
07	K2O	0.11
08	Na2O	1.72
09	LOSS (1025)	1.09
10	Zr(HF)O2	29.78